

Checklist¹ of Vascular Flora of Red Hill Mesa La Panza Mountains San Luis Obispo County, California (07 June 2019)

David J. Keil
Robert F. Hoover Herbarium
Biological Sciences Department
California Polytechnic State University
San Luis Obispo, California

| | Scientific Name | Common Name | Family | Rare |
|---|---------------------------------------|---------------------|------------|------|
| n | ✿ Achillea millefolium | yarrow | ASTERACEAE | v |
| n | ✿ Acmispon americanus var. americanus | Spanish-clover | FABACEAE | v |
| n | Acmispon brachycarpus | shortpod deervetch | FABACEAE | v |
| n | ✿ Acmispon glaber var. glaber | common deerweed | FABACEAE | v |
| n | Acmispon micranthus | fishhook deervetch | FABACEAE | v |
| n | ✿ Acmispon strigosus | strigose deer-vetch | FABACEAE | v |
| n | ✿ Acourtia microcephala | sacapeloche | ASTERACEAE | v |

¹ Please notify the author of additions or corrections to this list (dkeil@calpoly.edu).

✿ — See **Wildflowers of San Luis Obispo, California**, second edition (2018) for photograph. Most are illustrated in the first edition as well; old names for some species in square brackets.

n — California native

i — exotic species, introduced to California, naturalized or waif.

v — documented by one or more specimens (Consortium of California Herbaria record; specimen in OBI; or collection that has not yet been accessioned)

o — observed during field surveys; no voucher specimen known

R—California Rare Plant Rank

| | Scientific Name | Common Name | Family | Rare | |
|---|---|---------------------------|----------------|-------------|---|
| n | <i>Agoseris heterophylla</i> var. <i>heterophylla</i> | annual mountain-dandelion | ASTERACEAE | v | |
| n | <i>Allium lacunosum</i> var. <i>davisiae</i> | pitted onion | ALLIACEAE | v | |
| n | <i>Allium peninsulare</i> var. <i>peninsulare</i> | peninsular onion | ALLIACEAE | v | |
| n | ⌘ <i>Amsinckia menziesii</i> | small-flowered fiddleneck | BORAGINACEAE | v | |
| n | ⌘ <i>Antirrhinum thompsonii</i> | bush snapdragon | PLANTAGINACEAE | v | |
| n | <i>Aphanes occidentalis</i> | western parsley-piert | ROSACEAE | v | |
| n | ⌘ <i>Aphyllon purpureum</i> | Naked broomrape | OROBANCHACEAE | v | |
| n | <i>Apiastrum angustifolium</i> | mockcelery | APIACEAE | v | |
| n | <i>Astragalus gambelianus</i> | Gambel's milk-vetch | FABACEAE | v | |
| n | <i>Athyranthus pusillus</i> | dwarf sandweed | BRASSICACEAE | v | |
| i | <i>Avena barbata</i> | slender wild oats | POACEAE | v | |
| n | <i>Baccharis salicifolia</i> | mule fat, seep-willow | ASTERACEAE | v | |
| n | <i>Blepharizonia laxa</i> | stickyseed daisy | ASTERACEAE | v | |
| n | ⌘ <i>Bloomeria crocea</i> var. <i>aurea</i> | common goldenstar | THEMIDACEAE | v | |
| n | <i>Brodiaea terrestris</i> subsp. <i>kernensis</i> | Kern brodiaea | THEMIDACEAE | v | |
| i | <i>Bromus arenarius</i> | Australian chess | POACEAE | v | |
| i | <i>Bromus diandrus</i> | ripgut brome | POACEAE | v | |
| i | <i>Bromus hordeaceus</i> | soft chess brome | POACEAE | v | |
| i | <i>Bromus rubens</i> | red brome | POACEAE | v | |
| n | ⌘ <i>Calandrinia menziesii</i> [<i>Calandrinia ciliata</i>] | red maids | MONTIACEAE | v | |
| n | <i>Callitricha marginata</i> | California water starwort | PLANTAGINACEAE | v | |
| n | <i>Calochortus simulans</i> | La Panza mariposa lily | LILIACEAE | 1B.3 | v |
| n | <i>Calycadenia villosa</i> | dwarf calycadenia | ASTERACEAE | 1B.1 | v |
| n | <i>Calystegia malacophylla</i> subsp. <i>pedicellata</i> | woolly morning glory | CONVOLVULACEAE | v | |
| n | <i>Camissonia strigulosa</i> | strigose suncup | ONAGRACEAE | v | |
| n | <i>Camissoniopsis intermedia</i> | intermediate suncup | ONAGRACEAE | v | |
| n | <i>Camissoniopsis micrantha</i> | small-flowered suncup | ONAGRACEAE | v | |

| | Scientific Name | Common Name | Family | Rare | |
|---|--|--|-----------------|-------------|---|
| n | <i>Castilleja attenuata</i> | valley tassels, narrow-leaved owl's-clover | OROBANCHACEAE | | v |
| n | <i>Castilleja densiflora</i> subsp. <i>densiflora</i> | dense flowered owl's-clover | OROBANCHACEAE | | v |
| n | <i>Castilleja exserta</i> subsp. <i>exserta</i> | common owl's-clover | OROBANCHACEAE | | v |
| n | <i>Ceanothus cuneatus</i> var. <i>cuneatus</i> | common buckbrush | RHAMNACEAE | | v |
| i | ✿ <i>Centaurea melitensis</i> | tocalote, Maltese star thistle | ASTERACEAE | | v |
| i | <i>Cerastium glomeratum</i> | annual mouse-ear chickweed | CARYOPHYLLACEAE | | v |
| n | ✿ <i>Cercocarpus betuloides</i> var. <i>betuloides</i> | birch-leaf mountain-mahogany | ROSACEAE | | v |
| n | ✿ <i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i> | common soap plant | AGAVACEAE | | v |
| n | <i>Chorizanthe biloba</i> var. <i>biloba</i> | two-lobed spineflower | POLYGONACEAE | | v |
| n | <i>Chorizanthe douglasii</i> | Douglas's spineflower | POLYGONACEAE | 4.3 | v |
| n | <i>Chorizanthe polygonoides</i> var. <i>polygonoides</i> | knotweed spineflower | POLYGONACEAE | | v |
| n | <i>Chorizanthe staticoides</i> | Turkish-rugging spineflowe | POLYGONACEAE | | v |
| n | <i>Chorizanthe xanti</i> var. <i>xanti</i> | pinyon spineflower | POLYGONACEAE | | v |
| i | ✿ <i>Cirsium vulgare</i> | bull thistle | ASTERACEAE | | v |
| n | <i>Clarkia affinis</i> | chaparral clarkia | ONAGRACEAE | | v |
| n | <i>Clarkia cylindrica</i> subsp. <i>cylindrica</i> | speckled clarkia | ONAGRACEAE | | v |
| n | <i>Clarkia epilobioides</i> | little white clarkia | ONAGRACEAE | | v |
| n | <i>Clarkia modesta</i> | narrow-petaled clarkia | ONAGRACEAE | | v |
| n | ✿ <i>Clarkia purpurea</i> subsp. <i>quadrivulnera</i> | fourspot clarkia | ONAGRACEAE | | v |
| n | <i>Clarkia speciosa</i> subsp. <i>speciosa</i> | red-spot clarkia | ONAGRACEAE | | v |
| n | ✿ <i>Clarkia unguiculata</i> | elegant clarkia | ONAGRACEAE | | v |
| n | <i>Claytonia exigua</i> subsp. <i>exigua</i> | pale spring beauty | MONTIACEAE | | v |
| n | <i>Claytonia parviflora</i> subsp. <i>parviflora</i> | narrow-leaved miner's lettuce | MONTIACEAE | | v |

| | Scientific Name | Common Name | Family | Rare | |
|---|--|--------------------------------|----------------|-------------|--|
| n | * <i>Claytonia perfoliata</i> subsp. <i>perfoliata</i> | common miner's lettuce | MONTIACEAE | v | |
| n | <i>Collinsia sparsiflora</i> var. <i>collina</i> | few-flowered collinsia | PLANTAGINACEAE | v | |
| n | <i>Crassula aquatica</i> | water pygmyweed | CRASSULACEAE | v | |
| n | * <i>Crassula connata</i> | common pygmyweed | CRASSULACEAE | v | |
| i | <i>Crassula tillaea</i> | moss pygmyweed | CRASSULACEAE | v | |
| n | * <i>Croton setiger</i> | turkey-mullein | EUPHORBIACEAE | v | |
| n | * <i>Cryptantha clevelandii</i> var. <i>florosa</i> | coastal cryptantha | BORAGINACEAE | v | |
| n | <i>Cryptantha microstachys</i> | Tejon cryptantha | BORAGINACEAE | v | |
| n | <i>Cryptantha muricata</i> var. <i>jonesii</i> | Jones's cryptantha | BORAGINACEAE | v | |
| n | <i>Cuscuta californica</i> var. <i>californica</i> | common chaparral dodder | CONVOLVULACEAE | v | |
| n | <i>Daucus pusillus</i> | American wild carrot | APIACEAE | v | |
| n | <i>Delphinium gypsophilum</i> | gypsum larkspur | RANUNCULACEAE | v | |
| n | <i>Delphinium parryi</i> subsp. <i>parryi</i> | Parry's larkspur | RANUNCULACEAE | v | |
| n | <i>Deschampsia danthonioides</i> | annual hairgrass | POACEAE | v | |
| n | * <i>Dipterostemon capitatus</i> subsp. <i>capitatus</i> [<i>Dichelostemma capitatum</i> subsp. <i>capitatum</i>] | blue-dicks, schoolbells | THEMIDACEAE | v | |
| n | <i>Eleocharis macrostachya</i> | common spike-rush | CYPERACEAE | v | |
| n | * <i>Emmenanthe penduliflora</i> var. <i>penduliflora</i> | whispering bells | HYDROPHYLACEAE | v | |
| n | <i>Epilobium densiflorum</i> | dense-flowered spike-primrose | ONAGRACEAE | v | |
| n | <i>Erigeron foliosus</i> var. <i>foliosus</i> | common leafy fleabane daisy | ASTERACEAE | v | |
| n | <i>Eriodictyon tomentosum</i> | woolly yerba santa | NAMACEAE | v | |
| n | <i>Eriogonum fasciculatum</i> var. <i>foliolosum</i> | leafy California buckwheat | POLYGONACEAE | v | |
| n | <i>Eriogonum nudum</i> var. <i>pubiflorum</i> | inflated naked buckwheat | POLYGONACEAE | v | |
| n | * <i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i> | common golden-yarrow | ASTERACEAE | v | |
| i | * <i>Erodium botrys</i> | storkbill filaree | GERANIACEAE | v | |

| | Scientific Name | Common Name | Family | Rare | |
|---|--|---------------------------------------|---------------|-------------|---|
| i | ✳ <i>Erodium cicutarium</i> | redstem filaree | GERANIACEAE | v | |
| i | <i>Erodium moschatum</i> | greenstem filaree | GERANIACEAE | v | |
| n | ✳ <i>Erythranthe guttata</i> [<i>Mimulus guttatus</i>] | common monkeyflower | PHRYMACEAE | v | |
| n | <i>Erythranthe latidens</i> [<i>Mimulus latidens</i>] | wide-toothed monkeyflower | PHRYMACEAE | v | |
| n | <i>Festuca microstachys</i> | three-weeks fescue, small fescue | POACEAE | v | |
| i | <i>Festuca myuros</i> | rattail fescue | POACEAE | v | |
| n | <i>Festuca octoflora</i> | sixweeks fescue | POACEAE | v | |
| n | <i>Galium andrewsii</i> | prickly bedstraw | RUBIACEAE | v | |
| n | ✳ <i>Galium aparine</i> | cleavers, common bedstraw, goosegrass | RUBIACEAE | v | |
| i | <i>Gastridium phleoides</i> | nitgrass | POACEAE | v | |
| n | <i>Gilia capitata</i> subsp. <i>abrotanifolia</i> | ball gilia | POLEMONIACEAE | v | |
| n | <i>Gilia clivorum</i> | purple-spotted gilia | POLEMONIACEAE | v | |
| n | <i>Githopsis specularioides</i> | common bluecup | CAMPANULACEAE | v | |
| n | <i>Hesperomecon linearis</i> | carnival poppy | PAPAVERACEAE | v | |
| n | <i>Hooveria purpurea</i> var. <i>reducta</i> | Camatta Canyon amole | AGAVACEAE | 1B.1 | v |
| i | <i>Hordeum murinum</i> subsp. <i>leporinum</i> | mouse foxtail barley | POACEAE | v | |
| i | ✳ <i>Hypochaeris glabra</i> | smooth cat's-ear | ASTERACEAE | v | |
| n | <i>Isoetes nuttallii</i> | Nuttall's quillwort | ISOETACEAE | v | |
| n | <i>Juncus luciensis</i> | Santa Lucia dwarf rush | JUNCACEAE | 1B.2 | v |
| i | ✳ <i>Lactuca serriola</i> | prickly lettuce | ASTERACEAE | v | |
| n | ✳ <i>Lasthenia gracilis</i> | common goldfields | ASTERACEAE | v | |
| n | ✳ <i>Layia platyglossa</i> | common tidytips | ASTERACEAE | v | |
| n | ✳ <i>Lepechinia calycina</i> | pitcher-sage | LAMIACEAE | v | |
| n | ✳ <i>Lepidium nitidum</i> | shining peppergrass | BRASSICACEAE | v | |

| | Scientific Name | Common Name | Family | Rare | |
|---|---|------------------------------|---------------|-------------|--|
| n | <i>Lepidium strictum</i> | yellow-green peppergrass | BRASSICACEAE | v | |
| n | <i>Leptosiphon liniflorus</i> | flax-flowered babystars | POLEMONIACEAE | v | |
| n | ✿ <i>Leptosiphon parviflorus</i> | common babystars | POLEMONIACEAE | v | |
| n | <i>Leptosiphon pygmaeus</i> subsp. <i>continentalis</i> | miniature babystars | POLEMONIACEAE | v | |
| n | <i>Linanthus bigelovii</i> subsp. <i>johsonii</i> | small-flowered evening snow | POLEMONIACEAE | v | |
| n | <i>Linanthus dichotomus</i> subsp. <i>dichotomus</i> | common evening snow | POLEMONIACEAE | v | |
| n | <i>Logfia filaginoides</i> | California cotton-rose | ASTERACEAE | v | |
| i | <i>Logfia gallica</i> | narrow-leaved herba impia | ASTERACEAE | v | |
| n | <i>Lomatium dasycarpum</i> subsp. <i>dasycarpum</i> | woolly-fruited biscuitroot | APIACEAE | v | |
| n | ✿ <i>Lomatium utriculatum</i> | spring gold biscuitroot | APIACEAE | v | |
| n | <i>Lupinus bicolor</i> | miniature lupine | FABACEAE | v | |
| n | ✿ <i>Lupinus nanus</i> | sky lupine | FABACEAE | v | |
| n | <i>Madia exigua</i> | threadstem tarweed | ASTERACEAE | v | |
| n | ✿ <i>Madia gracilis</i> | slender tarweed | ASTERACEAE | v | |
| n | <i>Malacothamnus jonesii</i> | Jones's bush mallow | MALVACEAE | v | |
| n | <i>Malacothrix clevelandii</i> | Cleveland's malacothrix | ASTERACEAE | v | |
| n | ✿ <i>Marah fabacea</i> | manroot, wild cucumber vine | CUCURBITACEAE | v | |
| n | ✿ <i>Matricaria discoidea</i> | common pineapple-weed | ASTERACEAE | v | |
| n | <i>Melica californica</i> | California melic | POACEAE | v | |
| n | ✿ <i>Micranthes californica</i> | California saxifrage | SAXIFRAGACEAE | v | |
| n | ✿ <i>Micropus californicus</i> var. <i>californicus</i> | common cottonweed, cottontop | ASTERACEAE | v | |
| n | <i>Microseris acuminata</i> | Sierra foothills microseris | ASTERACEAE | v | |
| n | <i>Microseris douglasii</i> subsp. <i>douglasii</i> | Douglas's microseris | ASTERACEAE | v | |
| n | <i>Microseris elegans</i> | elegant microseris | ASTERACEAE | v | |

| | Scientific Name | Common Name | Family | Rare | |
|---|--|--|-----------------|-------------|---|
| n | <i>Mimetanthe pilosa</i> [<i>Mimulus pilosus</i>] | downy monkeyflower | PHRYMACEAE | v | |
| n | ✿ <i>Muilla maritima</i> | common muilla | THEMIDACEAE | v | |
| n | <i>Navarretia atracyloides</i> | holly-leaf pincushion plant | POLEMONIACEAE | v | |
| n | <i>Nemacladus secundiflorus</i> var. <i>secundiflorus</i> | large-flowered threadstem | CAMPANULACEAE | 4.3 | v |
| n | <i>Nemophila pedunculata</i> | dark-seeded nemophila | HYDROPHYLLACEAE | v | |
| n | <i>Pectocarya penicillata</i> | short-leaf combseed | BORAGINACEAE | v | |
| n | <i>Pellaea andromedifolia</i> | coffee fern | PTERIDACEAE | v | |
| n | <i>Pellaea mucronata</i> var. <i>mucronata</i> | bird's-foot fern | PTERIDACEAE | v | |
| n | <i>Pentachaeta alsinoides</i> | tiny pygmydaisy | ASTERACEAE | v | |
| n | <i>Pentagramma triangularis</i> subsp. <i>triangularis</i> | goldback fern | PTERIDACEAE | v | |
| n | ✿ <i>Phacelia distans</i> | fern-leaved phacelia | HYDROPHYLLACEAE | v | |
| n | <i>Phoradendron villosum</i> subsp. <i>villosum</i> | oak mistletoe | VISCACEAE | v | |
| n | <i>Pinus sabiniana</i> | foothill pine, gray pine | PINACEAE | v | |
| n | <i>Plagiobothrys acanthocarpus</i> | adobe popcorn flower | BORAGINACEAE | v | |
| n | <i>Plagiobothrys fulvus</i> var. <i>campestris</i> | field popcorn flower | BORAGINACEAE | v | |
| n | ✿ <i>Plagiobothrys nothofulvus</i> | common popcorn flower, rusty popcorn flower | BORAGINACEAE | v | |
| n | <i>Plagiobothrys shastensis</i> | Shasta popcorn flower | BORAGINACEAE | v | |
| n | <i>Plagiobothrys tenellus</i> | slender popcorn flower | BORAGINACEAE | t | |
| n | <i>Plagiobothrys trachycarpus</i> | rough-nutlet popcorn flower | BORAGINACEAE | v | |
| n | <i>Plantago elongata</i> | vernal pool plantain | PLANTAGINACEAE | v | |
| n | ✿ <i>Plantago erecta</i> | foothill plantain | PLANTAGINACEAE | v | |
| n | <i>Plectritis ciliosa</i> | long-spurred seablush | VALERIANACEAE | v | |
| i | <i>Poa annua</i> | annual bluegrass | POACEAE | v | |
| i | <i>Poa bulbosa</i> subsp. <i>vivipara</i> | bulblet bluegrass | POACEAE | v | |
| n | <i>Poa secunda</i> subsp. <i>secunda</i> | one-sided bluegrass | POACEAE | v | |
| n | ✿ <i>Primula clevelandi</i> [<i>Dodecatheon clevelandii</i>] | Cleveland's shooting star | PRIMULACEAE | v | |

| | Scientific Name | Common Name | Family | Rare | |
|---|--|---------------------------------------|-----------------|-------------|---|
| n | <i>Pseudognaphalium beneolens</i> | fragrant everlasting | ASTERACEAE | | o |
| n | ✿ <i>Pseudognaphalium californicum</i> | California everlasting | ASTERACEAE | | v |
| i | <i>Pseudognaphalium luteoalbum</i> | Jersey cudweed | ASTERACEAE | | v |
| n | <i>Psilocarphus chilensis</i> | round woollyheads | ASTERACEAE | | v |
| n | <i>Psilocarphus tenellus</i> | slender woollyheads | ASTERACEAE | | v |
| n | <i>Quercus xalvordiana</i> | Alvord oak | FAGACEAE | | o |
| n | <i>Quercus douglasii</i> | blue oak | FAGACEAE | | v |
| n | <i>Quercus john-tuckeri</i> | desert scrub oak, Tucker oak | FAGACEAE | | v |
| n | ✿ <i>Rafinesquia californica</i> | California-chicory | ASTERACEAE | | v |
| n | <i>Rhamnus ilicifolia</i> | holly-leaved redberry | RHAMNACEAE | | v |
| n | <i>Rhus aromatica</i> | skunkbush | ANACARDIACEAE | | v |
| n | <i>Rigiopappus leptocladus</i> | rigiopappus | ASTERACEAE | | v |
| i | ✿ <i>Rumex crispus</i> | curly dock | POLYGONACEAE | | v |
| n | <i>Sabulina californica</i> [<i>Minuartia californica</i>] | California sandwort | CARYOPHYLLACEAE | | v |
| n | <i>Salix gooddingii</i> | western black willow | SALICACEAE | | v |
| n | <i>Salix laevigata</i> | red willow | SALICACEAE | | v |
| n | <i>Salix lasiolepis</i> | arroyo willow, California pussywillow | SALICACEAE | | v |
| n | ✿ <i>Salvia columbariae</i> | chia | LAMIACEAE | | v |
| n | ✿ <i>Salvia mellifera</i> | black sage | LAMIACEAE | | v |
| n | ✿ <i>Sambucus nigra</i> subsp. <i>caerulea</i> | blue elderberry | ADOXACEAE | | v |
| n | r? <i>Sanicula bipinnata</i> | poison sanicle | APIACEAE | | v |
| n | <i>Sanicula bipinnatifida</i> | purple sanicle | APIACEAE | | v |
| n | <i>Sanicula crassicaulis</i> | common sanicle | APIACEAE | | v |
| n | <i>Scribneria bolanderi</i> | Scribner's grass | POACEAE | | v |
| n | ✿ <i>Scutellaria tuberosa</i> | chaparral skullcap | LAMIACEAE | | v |

| | Scientific Name | Common Name | Family | Rare | |
|---|--|--|-----------------|-------------|---|
| n | <i>Senecio aphanactis</i> | chaparral ragwort | ASTERACEAE | 2B.2 | v |
| n | <i>Senecio flaccidus</i> var. <i>douglasii</i> | shrubby groundsel, threadleaf groundsel | ASTERACEAE | | v |
| i | <i>Senecio vulgaris</i> | common groundsel | ASTERACEAE | | v |
| n | <i>Solanum umbelliferum</i> var. <i>umbelliferum</i> | bluewitch nightshade | SOLANACEAE | | v |
| i | ✿ <i>Sonchus oleraceus</i> | common sow-thistle | ASTERACEAE | | v |
| n | ✿ <i>Stebbinsoseris heterocarpa</i> | brownpuffs | ASTERACEAE | | v |
| i | <i>Stellaria pallida</i> | lesser chickweed | CARYOPHYLLACEAE | | v |
| n | <i>Stipa cernua</i> | nodding needlegrass | POACEAE | | v |
| n | <i>Stylocline gnaphaloides</i> | everlasting neststraw | ASTERACEAE | | v |
| n | <i>Thysanocarpus curvipes</i> subsp. <i>curvipes</i> | common fringepod | BRASSICACEAE | | v |
| n | ✿ <i>Toxicodendron diversilobum</i> | poison-oak | ANACARDIACEAE | | v |
| n | <i>Toxicoscordion brevibracteatum?</i> | desert death camas | MELANTHIACEAE | | v |
| n | ✿ <i>Toxicoscordion fremontii</i> | Fremont's death-camas, star-zigadene | MELANTHIACEAE | | v |
| n | <i>Trifolium albopurpureum</i> | dove clover | FABACEAE | | v |
| n | <i>Trifolium gracilentum</i> | pinpoint clover | FABACEAE | | v |
| n | <i>Trifolium macraei</i> | Macrae's clover | FABACEAE | | v |
| n | <i>Trifolium microcephalum</i> | miniature clover | FABACEAE | | v |
| n | <i>Triphysaria micrantha</i> | little butter and eggs | OROBANCHACEAE | | v |
| n | <i>Turricula parryi</i> | poodle-dog bush | NAMACEAE | | v |
| n | <i>Typha domingensis</i> | southern cattail | TYPHACEAE | | v |
| n | ✿ <i>Uropappus lindleyi</i> | silverpuffs | ASTERACEAE | | v |
| n | <i>Viola douglasii</i> | Douglas' violet, golden violet | VIOLACEAE | | v |
| n | <i>Viola purpurea</i> subsp. <i>quercetorum</i> | foothill violet | VIOLACEAE | | v |
| n | <i>Yabea microcarpa</i> | California hedge-parsley | APIACEAE | | v |

| | Scientific Name | Common Name | Family | Rare | |
|---|------------------------|--------------------|---------------|-------------|--|
| n | ⌘ Zeltnera davyi | Davy's centaury | GENTIANACEAE | v | |